

Yealink

WPP30

4K Wireless Presentation Pod
for Every Work Space



Plug &
Play



Wireless
BYOD



4K
UHD



WiFi6
Chip



Ultra-low
latency

Yealink wireless presentation pod WPP30 is a new casting device that supports BYOD function. Featured with a compact size and intuitive industry design, WPP30 brings a trouble-free content sharing experience to any conference room. Empowered with up to 4K/30FPS UHD hardware encode streaming output, WPP30 saves a lot of effort by eliminating the installation of any software or driver. Thanks to the high-performance 2x2 MIMO, Wi-Fi 6 module, WPP30 delivers a super clear, speedy and stable casting experience with low latency.


Simple Set up, Easy Plug and Play

Plug & play allows users to enjoy instant content sharing. No extra software or driver is required, simply plug in WPP30 into the devices, and your idea is ready to be presented.


Touch & go, just click the button and start collaboration right away.

Present Wirelessly, WPP30 saves time for setting up additional cables between TV and conference table, bringing a clean and tidy meeting space.

Work with Most Devices, free collaboration on most devices with full featured USB-C Port.



*Available on devices with full featured USB-C Port



Simple but Powerful, Clear and Secured Power Up Your Efficient Meeting



Hardware Encoding Solution, Burden-free for PC Operation

WPP30 adopts the built-in hardware encoding chip solution. No need to install any software or driver, and no CPU-occupied. No extra time for device debugging, start a meeting immediately and provide you with a smoother screen sharing experience.



4K/30FPS UHD Screen Casting Quality

WPP30 is equipped with a 2x2 MIMO, Wi-Fi 6 module and supports up to 4K/30 fps ultra HD screen quality, so it can maintain a stable wireless connection even in complex network environments and can easily and smoothly share presentations without latency.



AES & WPA Encryption, High Security

Applied with AES encryption and WPA high security data encryption technology, WPP30 prevents content sharing from accidental leakage or tampering. Enterprise-grade data encryption protects screen casting transmission and gets rid of security issues.

Wireless BYOD Feature, Start Your Meeting Anywhere

With wireless BYOD feature, WPP30 allows users to join a meeting using their personal laptop without complicated configuration operations, as well as benefit from premium video and audio experience provided by room devices of the meeting space. Moreover, users can choose their preferred video conferencing platforms like Microsoft or Zoom. WPP30 enables your video conference to get richer audio, a more open vision, and enjoy the exclusive conference room space.



Rich Collaboration Ways, Efficient Team Work

Multi-Screen Content Sharing

WPP30 supports up to four streams to be presented simultaneously on the main screen.



Intuitive Reverse Control

Interoperable with a touchscreen television, reverse control of the computer or laptop is easily enabled by clicking or dragging directly on your interactive television.



Real-time Annotation

Work with the conference whiteboard, your writing and revising on the whiteboard can be shown on the phone and computer display simultaneously.



*The degree of implementation of features such as multi-screen sharing and whiteboard collaboration varies from different Yealink's hosts.

WPP30 Specification

Basic Features	
Hardware Encoder	Maximum 4k/30fps
Power Supply	5V/600mA
Power Consumption	2.2W (Typical)
Interface	Full-featured USB-C x1 USB-C to USB-A Adapter x1
Button	START/STOP Button x1
LED	4K/UHD Indicator x1 System Error Indicator x1 System Status Indicator x1
Wi-Fi	
Standard	Wi-Fi 6, 802.11 a/b/g/n/ac/ax
Frequency	2.4GHz/5GHz
Security	WPA-PSK/WPA2-PSK
Bluetooth	
Standard	Bluetooth 5.0
Advanced Features*	
Desktop Sharing	Duplicated Desktop Extended Desktop
Collaboration	Annotation Whiteboard Intuitive Remote Control Multiple Screens Share Wireless BYOD(Bring Your Own Device)
Operating Environmental	
Temperature range	-10~40°C
Humidity range	0~90%, non-condensing
Dimensions	
Weight (g/lb)	75g (0.165lb)
Size (mm/in)	220mm×38mm×16mm (8.66" × 1.50" × 0.63")

*Advanced features differ in different Yealink Room/Video System.

Yealink



YEALINK NETWORK TECHNOLOGY CO., LTD
www.yealink.com | ucinfo@yealink.com

2022-04-WPP30-EN-V1.0

COOPER[®]
SOLUZIONI DOCUMENTALI